




Create Organization

- ^ Table of contents
- Create an organization
- Flow Chart

Create an organization

When a [Zoho QEngine account](#) is accessed for the first time, you are required to enter details including:

- **Organization name** - Each Zoho QEngine account owner can create one organization. However, access to multiple shared organizations is possible when a different user shares their project.

 **Note:** If a user receives a shared organization before they create their own, the creation of a new organization is kept restricted for that user's account.

- **Portal name** - The portal name is auto-populated based on the organization name, which can be edited as required. The portal name is used as the path or subdirectory in the URL. For example, if a portal name is specified as "testing," the URL to a project becomes *https://qengine.zoho.com/testing/projects*
- **Phone number** - Your phone number is safe with us.
- **Time zone** - The selected time zone will be applied to all date and time mentions in your account.
- **Date format** - The selected date format will be applied to all date and time mentions in your account.

After entering your details, click **Create Account**.



Create Account!



Tell us a little bit about your organization.

 Organization name

 Portal name

 Phone number

 (GMT 5:30) India Standard Time(Asia/Calcutta) 

 dd-MMM-yyyy (15-Aug-1947) 




Create Account

Live logs


Run time

0%

00:01:21

- | | | |
|---|------------------------|----|
|  | Running test... | 0s |
|  | Chrome Browser started | 0s |
|  | Starting test case | 0s |

Flow Chart



- Dashboard to display key metrics
- Add users to your projects and assign roles
- Agents to perform local or remote testing
- Store files useful for your test cases
- Email notifications to stay updated with realtime execution result
- A powerful drag-and-drop scripting editor
- Create variables and elements to store values and locators to reuse in test cases
- Switch between web, iOS, android, and API platforms